Surgical Associates of Neenah and Gastroenterology

Colonoscopy Prep Instructions – Nulytely

PLEASE READ ALL INSTRUCTIONS CAREFULLY

5-7 DAYS PRIOR	3 DAYS PRIOR	ONE DAY PRIOR	THE DAY OF PROCEDURE
PURCHASE/PICK UP THE FOLLOWING - Prescription needed: Image: Construction of the second se	 STOP consuming all high fiber foods/roughage. NO raw vegetables NO corn (raw or cooked) NO whole wheat or high fiber breads NO nuts or popcorn NO bran or bulking agents Confirm that you have a driver 18 years or older to drive you home the day of the procedure. A taxi/Bus/Uber/Lyft are NOT allowed unless you are accompanied by a family member or friend. Please contact our office if you need assistance.	NO SOLID FOOD NO ALCOHOL CLEAR LIQUID DIET UNTIL MIDNIGHT AVOID anything red, green, or purple in color. No milk products or non-dairy creamer. SEE LIST OF CLEAR LIQUIDS ON PAGE 2 SEE LIST OF CLEAR LIQUIDS ON PAGE 2 Step 1. Take in plenty of clear liquids throughout the day today. Step 2. Mix bottle of Nulytely with 4 liters of clear liquid. (see first column) Refrigerate solution. Nulutely is easier to drink when its cold. Step 3. Divide mixture into 2 doses of 2 liters each. Drink first 2 liters at noon. Repeat last 2 liters at 6pm. *Times may be adjusted to fit your schedule, doses must be 5-6 hours apart.	NOTHING TO EAT OR DRINK Except you may take medications as instructed with small sips of water. Pay close attention to the medications listed to HOLD today. Eating or Drinking liquids today will cause your procedure to be cancelled or postponed. THINGS TO BRING WITH YOU! A RESPONSIBLE DRIVER, 18 YEARS OR OLDER YOUR INSURANCE CARDS A PHOTO ID

CLEAR LIQUIDS - No RED, GREEN, or PURPLE

6 6 6

- Gatorade, PowerAde or other electrolyte drinks
- Clear broth or bouillon chicken, beef or vegetable
- Black Coffee or Tea
- Carbonated and Non-Carbonated Soft Drinks
- Kool-Aid or Crystal Light
- Fruit Juice (Apple, White Grape)
- Jello, Popsicles, or Italian Ice

DON'T FORGET - these foods are NOT ALLOWED!



- × Milk or milkshakes
- $\times~$ Cream or non-dairy creamer
- × Orange, Grapefruit or Tomato Juice
- \times Creamed Soups or any soup other than broth
- \times Oatmeal, Cream of Wheat
- \times Applesauce

Colon Cleansing Tips

- ✓ If you experience nausea or vomiting, rinse your mouth with water and take a break ☺ Wait 45 minutes and then resume drinking the prep. If necessary, slow down, let your stomach settle between glasses.
- You may use baby wipes, skin protectant such as petroleum jelly, or tucks pads as necessary for skin irritation. Be sure to get alcohol free!
- ✓ Stay near the toilet! You will have diarrhea, which can be quite sudden...this is normal!
- ✓ It is common to experience abdominal discomfort until the stool has flushed from your colon.
- Eventually your stools will be liquid, and clear enough to see the bottom of the toilet.
- ✓ If you feel for any reason your prep is not working, please be sure to call us so we can assist you in completing the prep process.
- EVEN AFTER STOOLS BECOME CLEAR YELLOW LIQUID – PLEASE CONTINUE DRINKING ALL OF THE PREP!